

The wearable remembrance agent: a system for augmented memory

Bradley J. Rhodes
Software Agents Group
MIT Media Lab
Cambridge, MA 02139
(617) 253-9601
rhodes@media.mit.edu
<http://www.media.mit.edu/~rhodes/>

Abstract

This paper describes the wearable Remembrance Agent, a continuously running proactive memory aid that uses the physical context of a wearable computer to provide notes that might be relevant in that context. A currently running prototype is described, along with future directions for research inspired by using the prototype.

1 Introduction

With computer chips getting smaller and cheaper the day will soon come when the desk-top, lap-top, and palm-top computer will all disappear into a vest pocket, wallet, shoe, or anywhere else a spare centimeter or two are available. As the price continues to plummet, these devices will enable all kinds of applications, from consumer electronics to personal communicators to field-operations support. Given that the primary use of today's palm-top computers is as day-planners, address books, and notebooks, one can expect memory aids will be an important application for wearable computers as well.

Current computer-based memory aids are written to make life easier for the computer, not for the person using them. For example, the two most available methods for accessing computer data is through filenames (forcing the user to recall the name of the file), and browsing (forcing the user to scan a list and recognize the name of the file). Both these methods are easy to program but require the user to do the brunt of the memory task themselves. Hierarchical directories or structured data such as calendar programs help only if the data itself is very structured, and break down whenever a file or a query doesn't fit into the redesigned structure. Similarly, key-word

searches only work if the user can think of a set of words that uniquely identifies what is being searched for.

Human memory does not operate in a vacuum of query-response pairs. On the contrary, the context of a remembered episode provides lots of cues for recall later. These cues include the physical location of an event, who was there, what was happening at the same time, and what happened immediately before and after [Tulving, 1983]. This information both helps us recall events given a partial context, and to associate our current environment with past experiences that might be related.

Until recently, computers have only had access to a user's current context within a computational task, but not outside of that environment. For example, a word-processor has access to the words currently typed, and perhaps files previously viewed. However, it has no way of knowing where its user is, whether she is alone or with someone, whether she is thinking or talking or reading, etc. Wearable computers give the opportunity to bring new sensors and technology into everyday life, such that these pieces of physical context information can be used by our wearable computers to aid our memory using the same information humans do.

This paper will start by describing features available in wearable computers that are not available in current laptops or Personal Digital Assistants (PDAs). It will then show how these features are being exploited by describing the latest version of the Remembrance Agent (or RA), a wearable memory aid that continually reminds the wearer of potentially relevant information based on the wearer's current physical and virtual context. Finally, it will discuss related work and extensions that are being added to the current prototype system.

2 Wearable computers vs. PDAs

The fuzzy definition of a wearable computer is that it's a computer that is always with you, is comfortable and easy to keep and use, and is as unobtrusive as clothing. However, this "smart clothing" definition is unsatisfactory when pushed in the details. Most importantly, it doesn't convey how a wearable computer is any different from a very small palm-top. A more specific definition is that wearable computers have many of the following characteristics:

- **Portable while operational:** The most distinguishing feature of a wearable is that it can be used while walking or otherwise moving around. This distinguishes wearables from both desktop and laptop computers.
- **Hands-free use:** Military and industrial applications for wearables especially emphasize their hands-free aspect, and concentrate on speech input and heads-up display or voice output. Other wearables might also use chording-keyboards, dials, and joysticks to minimize the tying up of a user's hands.
- **Sensors:** In addition to user-inputs, a wearable should have sensors for the physical environment. Such sensors might include wireless communications, GPS, cameras, or microphones.
- **"Proactive":** A wearable should be able to convey information to its user even when not actively being used. For example, if your computer wants to let you know you have new email and who it's from, it should be able to communicate this information to you immediately.
- **Always on:** By default a wearable is always on and working, sensing, and acting. This is opposed to the normal use of pen-based PDAs, which normally sit in one's pocket and are only woken up when a task needs to be done.

3 The Remembrance Agent

The Remembrance Agent is a program that continuously "watches over the shoulder" of the wearer of a wearable computer and displays one-line summaries of notes-files, old email, papers, and other text information that might be relevant to the user's current context. These summaries are listed in the bottom few lines of a heads-up display, so the wearer can read

the information with a quick glance. To retrieve the whole text described in a summary line, the wearer hits a quick chord on a chording keyboard.

3.1 The Desktop RA

An earlier desktop version of the RA is described in [Rhodes and Starner, 1996]. This previous version suggests old email, papers, or other text documents that are relevant to whatever file is currently being written or read in a word-processor. The system has been in daily use for over a year now, and the suggestions it produces are often quite useful. For example, several researchers have indexed journal abstracts from the past several years, and use the RA to suggest references to papers they are currently writing. The system has also been used to keep track of email threads, by recommending old email relevant to current email being read.

3.2 The Wearable RA

When the system was ported to a wearable computer, new applications became apparent. For example, when taking notes at conference talks the remembrance agent will often suggest document that lead to questions for the speaker. Because the wearable is taken everywhere, the RA can also offer suggestions based on notes taken during coffee breaks, where laptop computers can not normally be used. Another advantage is that because the display is proactive, the wearer does not need to expect a suggestion in order to receive it. One common practice among the wearables users at conferences is to type in the name of every person met while shaking hands. The RA will occasionally remind the wearer that the person who's name was entered has actually been met before, and can even suggest the notes taken from that previous conversation.

While useful, the system described above does not go far enough in using the physical sensors that could be integrated into a wearable computer. For example, a wearer of the system should not have to type in the name of every person met at a conference. Instead, the wearable should automatically know who is being spoken to, through active badge systems or eventually through automatic face-recognition. Similarly, the wearable should know its own physical location through GPS or an indoor location sensor.

When available, this automatically detected physical context is used by the new RA to help determine relevant information. This context information is used

both in indexing and in later suggestion-mode. In indexing, notes taken on the wearable are tagged with context information and stored for later retrieval. In suggestion-mode, the wearer's current physical context is used to find relevant information. If sensor data is not available (for example if no active-badge system is in use) the wearer can still type in additional context information. The current version of the RA uses five context cues to produce relevant suggestions:

- Wearer's physical location. This information could be provided by GPS, an indoor location system, or a location entered explicitly by the user on the chording keyboard.
- People who are currently around. This information can come from an active badge system, another person's wearable computer, or again can be entered by the wearer.
- Subject field, which can be entered by the wearer as an extra tag, or in indexing can be extracted from header fields such as the subject line in email.
- Date and time-stamp. These can be stamped onto note files with a single chord on the keyboard, or can be extracted from more structured data. In retrieval, this information comes from the system clock.
- The information itself (the body of the note), which is turned into a word-vector for later keyword analysis. In retrieval, this information comes from whatever the wearer is currently reading or writing on the heads-up display.

An example scenario makes the interaction of these context cues more apparent. Say the wearer of the RA system is a student heading to a history class. When she enters the classroom, note files that had previously been entered in that same classroom at the same time of day will start to appear. These notes will likely be related to the current course. When she starts to take notes on Egyptian Hieroglyphics, the text of her notes will trigger suggestions pointing to other readings and note files on Egyptology. These suggestions can be biased to favor hieroglyphics in particular by setting the subject field to "hieroglyphics." When she later gets out of class and runs into a fellow student, the identity of the student is either entered explicitly or conveyed through an active badge system. The RA starts to bring up suggestions pointing to notes entered while around this person, including an idea for a

project proposal that both students were working on. Finally, the internal clock of the wearable gets close to the time of a calendar entry reminding the wearer of a meeting, and the RA brings up pointers to that entry to remind her that she should be on her way.

4 Internals

4.1 Indexing documents

When a note is written down, the location, person, subject, and date tags are automatically attached to the note if they are available. If one of the four context tags are not available (for example, if no active badge is being used), then the writer of the note can enter the field by hand using the chording keyboard. The fields can also be left blank. New tags can be added easily, and it is hoped that as new sensors become available they can be integrated into the existing system and replace the by-hand entry.

Sometimes these context fields can also be determined from a source other than physical sensors. For example, subject and person tags can automatically be extracted from email header information. In this case, the person field is the person who sent the email, not the person who happens to be with you when you read the email. If an indexed file is a structured source such as email or HTML, this is detected and the RA automatically picks out any information it can from the file. Multiple notes or documents can also be detected and broken out of a single file, as would be the case for an email archive file.

After being tagged, these notes, email, and other information sources are indexed by the back end. Common words in the body of a note file are thrown out, and the remaining words are stemmed and converted into a word-vector where the number of occurrences of each word in the indexed document is an element in the vector. Large files are broken up into smaller overlapping "windows" so the topic of a single vector will tend to remain focused. This window information is used later in the suggestion mode to jump to the most relevant part of a suggested document when it's brought up for full viewing. The indexing method used here is the same used for the previous version of the RA, and is based on the SMART algorithm described in [Salton, 1971]. After indexing the body, the location, person, date, and subject information are encoded as typed tokenized words, and are merged into the vector.

4.2 Suggestion mode

When running in its normal suggestion mode, the RA will convert the current screen-full of text being looked at into a word vector, in the same way vectors are created during indexing. The current location, person, date, and subject context information is also merged into this “query vector,” but the vector can be weighted more or less heavily in favor of each of these context cues or in favor of the main body-vector.

The RA will then compare the query vector with each of the indexed vectors. In the case of discrete information (word, person, subject, and room-location information), the similarity is found by taking the dot product of the two vectors. The larger the dot-product, the more relevant that particular document is to the query vector. In the case of vectors of continuous features (date and GPS coordinates), the distance between the closest two elements is used to create a weighted relevance. The similarities between vectors are used to produce a weighted sum, and the most relevant documents are summarized. The summary lines are displayed continuously on the bottom few lines of the heads-up display, as shown in Figure 1. When the context is changing, suggestions are updated every five seconds.




Figure 1: A screen-shot of the wearable RA. The main screen is notes being taken during a workshop on wearable computing, the bottom shows the RA’s suggestions. Suggestions (1) and (2) are both from email, so the person field is automatically filled in from the “from” field. In the third entry, person information was not available so it defaulted to the owner of the file.

Sometimes a suggestion summary line can be enough to jog a memory, with no further lookup necessary. However, often it is desirable to look up the complete reference being summarized. In these cases,

a single chord can be hit on the chording keyboard to bring up any of the suggested references in the main buffer. If the suggested file is large, the RA will automatically jump to the most relevant point in the file before displaying it.

4.3 Explicit Query

While the RA is designed to be a proactive reminder system, it also provides the functionality of a standard fuzzy-query database engine. By entering a query at an emacs prompt, the wearer can override all current context cues with the new input.

4.4 Hardware

The RA is composed of a front end written in emacs lisp and a back-end written in C, and runs on most UNIX platforms. It is currently running under Linux on a wearable 100MHz 486 based on the “Tin Lizzy” design developed by Thad Starner [Starner et al., 1995a]. The input device is a one-handed chording keyboard called the Twiddler (made by Handykey), with which one can reach typing speeds of 30-50 words per minute on a full-function keyboard. The output device is a Private Eye heads-up display, a 720X280 monochrome display, which produces a crisp 80X25 character screen. The display is currently worn as a “hat top computer,” with the viewscreen pointing down from the top right corner of the wearer’s field of view (see Figure 2). This mount position gives the wearer the ability to make full eye-contact while still allowing access to a full screen of information with a single glance. Others in the wearables group at the Media Lab have experimented with eyeglass-mounts that provide an overlay effect of text or graphics on the real world [Starner et al., 1995b].

5 Related Work

Probably the closest system to this work is the Forget-me-not system developed at The Rank Xerox Research Center [Lamming and Flynn, 1994]. The Forget-me-not is a PDA system that records where it’s user is, who they are with, who they phone, and other such autobiographical information and stores it in a database for later query. It differs from the RA in that the RA looks at and retrieves specific textual information (rather than just a diary of events), and the RA has the capacity to be proactive in its suggestions as well as answer queries.



Figure 2: The heads-up display for the wearable platform.

Several systems also exist to provide contextual cues for managing information on a traditional desktop system. For example, the Lifestreams project provides a complete file management system based on time-stamp [Freeman and Gelernter, 1996]. It also provides the ability to tag future events, such as meeting times, that trigger alarms shortly before they occur. Finally, several systems exist to recommend webpages based on the pages a user is currently browsing [Lieberman, 1995] [Armstrong et al., 1995].

6 Design issues and future work

The physical-based tags are a recent extension to the RA, but the base system has been up and running on the wearable platform for several months, and several design issues are already apparent from using this prototype. These issues will help drive the next set of revisions.

The biggest design trade-off with the RA is between making continuous suggestions versus only occasionally flashing suggestions in a more obtrusive way. The continuous display was designed to be as tolerant of false positives as possible, and to distract the wearer from the real world as little as possible. The continuous display also allows the wearer to receive a new suggestion literally in the blink of an eye rather than having to fumble with a keyboard or button. However, because suggestions are displayed even when no especially relevant suggestions are available, the wearer has a tendency to distrust the display, and after a few weeks of use our limited experience suggests that the wearer tends to ignore the display except when they are looking at the screen anyway, or when they already realize that a suggestion might be available. The next

version of the RA will cull low-relevancy hits entirely from the display, leaving a variable-length display with more trustworthy suggestions.

Furthermore, notifications that are judged to be too important to miss (for example, notification that a scheduled event is about to happen) will be accompanied by a “visual bell” that flashes the screen several times. This flashing is already being used in a wearable communications system on the current heads-up mounted display, and has been satisfactory in getting the wearer’s attention in most cases. Another lesson learned from the interface for this communications system is that the screen should radically change when an important message is available. This way the wearer need not read any text to see if there is an important alert. Currently, the communications system prints a large reverse-video line across the lower half of the screen, which is used to quickly determine if a message has arrived.

Another trade-off has been made between showing lots of text on the screen versus showing only the most important text in large fonts. The current design shows an entire 80 column by 25 row screen, but this often produces too much text for a wearer to scan while still trying to carry on a conversation. Future versions will experiment with variable font size and animated typography [Small et al., 1994].

Acknowledgments

I’d like to thank Jan Nelson, who coded most of the Remembrance Agent back-end, and my sponsors at British Telecom.

References

- [Armstrong et al., 1995] Armstrong, R., Freitag, D., Joachims, T., and Mitchell, T. (1995). Webwatcher: A learning apprentice for the world wide web. In *Working Notes of the AAAI Spring Symposium on Information Gathering*, Stanford University.
- [Freeman and Gelernter, 1996] Freeman, E. and Gelernter, D. (March 1996). Lifestreams: A storage model for personal data. In *ACM SIGMOD Bulletin*.
- [Lamming and Flynn, 1994] Lamming, M. and Flynn, M. (1994). Forget-me-not: Intimate computing in support of human memory. In *FRIEND21: Inter. Symp. on Next Generation Human Interface*, pages 125–128, Meguro Gajoen, Japan.

- [Lieberman, 1995] Lieberman, H. (1995). Letizia: An agent that assists web browsing. In *International Joint Conference on Artificial Intelligence*, Montreal, Canada.
- [Rhodes and Starner, 1996] Rhodes, B. and Starner, T. (1996). Remembrance agent: A continuously running automated information retrieval system. In *Proc. of Pract. App. of Intelligent Agents and Multi-Agent Tech. (PAAM)*, London.
- [Salton, 1971] Salton, G. (1971). *The SMART Retrieval System - experiments in automatic document processing*. Perntice-Hall, Inc., Englewood Cliffs, NJ.
- [Small et al., 1994] Small, D., Ishizaki, S., and Cooper, M. (1994). Typographic space. In *CHI '94 Companion*.
- [Starner et al., 1995a] Starner, T., Mann, S., and Rhodes, B. (1995a). The MIT wearable computing web page. <http://wearables.www.media.mit.edu/projects/wearables>.
- [Starner et al., 1995b] Starner, T., Mann, S., Rhodes, B., Levine, J., Healey, J., Kirsch, D., Picard, R. W., and Pentland, A. (1995b). Augmented reality through wearable computing. Technical Report 397, MIT Media Lab, Perceptual Computing Group. to appear *Presence* 6(4).
- [Tulving, 1983] Tulving, E. (1983). *Elements of episodic memory*. Clarendon Press.